

Product Code: 752594

STANDARD BOLLARD POST

GALVANISED STEEL

Hot-dip galvanised to reduce rusting and corrosion



OVERVIEW

The Standard Bollard Post is a reliable solution for securing spaces and guiding traffic. Its robust design ensures long-lasting protection, even in harsh outdoor conditions, offering peace of mind for those responsible for site safety.

The post is highly versatile, allowing for seamless integration with other barriers, making it ideal for creating restricted areas or directing foot and vehicle traffic. The sturdy base provides a stable foundation, while the option to link chains between posts allows for greater flexibility in customising security setups.

Whether used in car parks, industrial sites, or public areas, this bollard provides a durable, low-maintenance option for site managers looking to enhance safety.

PRODUCT FEATURES

- Long-lasting hot-dip galvanised steel design to reduce rusting and corrosion
- Versatile integrated chain eyes allow for easy attachment of chain links
- > Easy installation bolt down via the integrated base plate
- Minimal maintenance plain steel design doesn't have to be re-painted

IRELAND www.pittman.ie • sales@pittman.ie

UK www.pittman.uk • sales@pittman.uk

TECHNICAL DATA

SPECIFICATION	DETAILS
Material:	Hot-dip galvanised steel
Color:	Plain steel
Height:	910mm
Diameter:	60mm
Base Plate:	150 x 100mm
Weight:	7kgs
Fixings required:	Coach screw: M10 x 110mm Rawl plug: 16 x 90mm
Applications	Car parks, warehouses







INSTRUCTIONS FOR USE

- **1. Choose the Installation Surface:** The bollard can be securely bolted into concrete, tarmac, or asphalt using the recommended fixings.
- **2. Mark the Holes:** Place the bollard firmly on the ground in the desired position. Use the bollard as a guide to mark the locations for the fixing holes.
- **3. Drill the Holes:** Move the bollard aside and drill holes where you marked.
- **4. Install the Bollard:** Line up the bollard with the drilled holes. Then, bolt it securely into place.
- **5. Ready for Use:** Once installed, the bollard is ready to use immediately.